

2701449

https://www.phoenixcontact.com/us/products/2701449

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Runtime license for Visu+ including the alarm dispatcher function and two web clients without limitation of the I/O data and variables in the scripting.

Your advantages

- · Access protection with user management
- · Fully scalable process diagrams for using one design on different devices and monitor sizes
- · Multilingual software and projects, thanks to Unicode support and online selection
- · Full SCADA (Supervisory Control And Data Acquisition) function with visualization, trend representation, and alarm management
- · Data logging, trend display, and recipe management
- · Scripts can be created in VBA and IL
- · Control coupling with OPC

Commercial data

Item number	2701449
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	DR13
Product key	DRDAAB
GTIN	4046356753722
Weight per piece (including packing)	22 g
Weight per piece (excluding packing)	20 g
Customs tariff number	49119900
Country of origin	DE



2701449

https://www.phoenixcontact.com/us/products/2701449

Technical data

Utilization restriction	
EMC note	EMC: class A product, see manufacturer's declaration in the download area
oduct properties	
Product type	Visualization
stem properties	
Intended use for the software	Visualization
License information	
Type of license	Runtime license
Functionality	
Basic functions	Know-How protection and safety through encoding of projects
	Realtime database coupling with ODBC to MS ACCESS, MS EXCEL and SQL server
	FDA CFR 21 Part 11 compatible
Expanded functionality	Web client capability
	Advanced alarm management with SMS, FAX, e-mail and voice mail function
Integrated function	Online configuration
	Password protection
	Language selection
	Alarm management
	Web client
Number of I/O nodes	128000
Number of clients	2
System requirements	
Hard disk memory	min. 1 GByte (recommended: 2 GB)
RAM	min. 1 GByte (2 GB for Windows Vista and Windows 7)
Supported browsers	Internet Explorer 5.5 or higher
Languages supported	German, English, French, Italian
Optical drive	DVD-ROM
Screen resolution	1024 x 768 pixel(s) (XGA)
System requirements for development environment	
Operating equipment	Keyboard, mouse
Operating system	Windows® 11
	Windows® 10
	Windows® 8.1
	Windows® 8



2701449

https://www.phoenixcontact.com/us/products/2701449

	Windows® 7
	Windows® Embedded Standard 7
	Windows® Server 2019
	Windows® Server 2016
	Windows® Server 2012 R2
	Windows® Server 2012
	Windows® Server 2008 R2
	Windows® Server 2008
	Windows® Server 2003
System requirements for runtime environment	
Operating system	Windows® 11
	Windows® 10
	Windows® 8.1
	Windows® 8
	Windows® 7
	Windows® Embedded Standard 7
	Windows® XP Embedded
	Windows® Server 2019
	Windows® Server 2016
	Williadws@ Gelver 2010
	Windows® Server 2012 R2
	Windows® Server 2012 R2
	Windows® Server 2012 R2 Windows® Server 2012
	Windows® Server 2012 R2 Windows® Server 2012 Windows® Server 2008 R2
	Windows® Server 2012 R2 Windows® Server 2012 Windows® Server 2008 R2 Windows® Server 2008
	Windows® Server 2012 R2 Windows® Server 2012 Windows® Server 2008 R2 Windows® Server 2008 Windows® Server 2003



2701449

https://www.phoenixcontact.com/us/products/2701449

Classifications

_		
_	\sim 1	ΛCC
-		AOO

	ECLASS-13.0	27242502	
ΕT	TIM		
	ETIM 9.0	EC001416	
UNSPSC			
	UNSPSC 21.0	43231500	



2701449

https://www.phoenixcontact.com/us/products/2701449

Environmental product compliance

FU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE
EU REACH SVHC	
	No substance above 0.1 wt%

Phoenix Contact 2025 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com