WIREFOX-D CX-7 - Stripping tool

1212169

https://www.phoenixcontact.com/us/products/1212169

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Stripping tool for coaxial cables of Ø 2.5 ... 7.6 mm, 3-level, strip-off dimensions 6.0 and 6.0 mm

Your advantages

• Large selection of precision stripping tools

• The right tool for every application

Commercial data

Item number	1212169
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	BH31
Product key	BH3122
GTIN	4046356454377
Weight per piece (including packing)	77.4 g
Weight per piece (excluding packing)	77.4 g
Customs tariff number	82032000
Country of origin	SE

Technical data

Notes

Environmental Product Compliance	
California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration

Product properties

Product type	Stripping tool
Application	Standard
	Koaxialkabel
Special properties	3-stage Strip-off dimension l1 = 6.0 mm, l2 = 6.0 mm
Product property	Stripping commercially available coaxial cables
	Replaceable stripping blade
	Multi-stage stripping in just one step

Connection data

Conductor connection	
Cross section range, metric	0 mm² ... 0 mm²
Stripping length	6 mm

Dimensions

Width	25.5 mm
Height	37.5 mm
Length	90 mm

Material specifications

Color	black

Cable/line

External cable diameter	2.5 mm ... 7.6 mm

Approvals

To download certificates, visit the product detail page: https://www.phoenixcontact.com/us/products/1212169

	EAC
	Approval ID: RU x-DE.xx08.B.02974

Classifications

ECLASS

ECLASS-13.0	21043706
ECLASS-15.0	21043706

ETIM

ETIM 9.0	EC002109

UNSPSC

UNSPSC 21.0	27111500

WIREFOX-D CX-7 - Stripping tool

Environmental product compliance

EU RoHS

Fulfills EU RoHS substance requirements	Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE

EU REACH SVHC

REACH candidate substance (CAS No.)	No substance above 0.1 wt%