

Part Number: 457111000

Product Description: PowerPlane Bus Bar Assembly, Vertical Mount, Mates to a 25.40mm by 3.17mm Bus Bar, Gold (Au)

Plated

Series Number: 45711

**Status:** Active

**Product Category: PCB Headers and** 

Receptacles



#### **Documents & Resources**

#### **Drawings**

457111000\_sd.pdf PK-45711-000-001.pdf

3D Models and Design Files

457111000\_stp.zip

**Specifications** 

PS-45711-001-001.pdf

## **Product Environment Compliance**

### Compliance

GADSL/IMDS	Not Relevant
China RoHS	<b>©</b>
EU ELV	Not Relevant
Low-Halogen Status	Not Low-Halogen per IEC 61249-2- 21
REACH SVHC	Not Contained per D(2024)7663-DC (21 Jan 2025)
EU RoHS	Compliant per EU 2015/863

#### Multiple Part Product Compliance Statements

- Eu RoHS
- REACH SVHC
- Low-Halogen

Multiple Part Industry Compliance Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

### EU RoHS Certificate of Compliance

### **Part Details**

#### General

Status	Active
Category	PCB Headers and Receptacles
Series	45711
Description	PowerPlane Bus Bar Assembly, Vertical Mount, Mates to a 25.40mm by 3.17mm Bus Bar, Gold (Au) Plated
Application	Power
Component Type	PCB Receptacle
Product Name	PowerPlane
UPC	822348829132

## Agency

CSA	LR19980
UL	E29179

#### **Electrical**

Current - Maximum per Contact	320.0A
Voltage - Maximum	600V AC

# Physical

Circuits (Loaded)	1
Circuits (maximum)	1
Color - Resin	Black
Durability (mating cycles max)	50
Flammability	94V-0
Glow-Wire Capable	No

Guide to Mating Part	No
Keying to Mating Part	None
Lock to Mating Part	None
Material - Metal	Copper Alloy
Material - Plating Mating	Gold
Material - Plating Termination	Tin
Material - Resin	Polyester
Net Weight	18.585/g
Number of Rows	1
Orientation	Vertical
Packaging Type	Tray
PCB Locator	No
PCB Retention	Yes
Pitch - Mating Interface	N/A
Plating min - Mating	0.762µm
Plating min - Termination	2.540µm
Polarized to Mating Part	No
Polarized to PCB	Yes
Stackable	No
Temperature Range - Operating	-40° to +105°C
Termination Interface Style	Screw

## Use with Part(s)

Description	Part Number
Use With	Customer Supplied (8x32 Thread) Machine Screws