

| LFS SERIES

PADDLE FLOW SWITCHES



The LFS range of flow switches are paddle devices that are mounted vertically through a socket or upstand process connection.

Electrical connections are made within the housing, which has a screw on sealed lid and cable gland.

A choice of paddle sizes is supplied with each switch and selection can be made with reference to the chart below.

Features

- Stainless steel SS304 paddle
- 3/4"BSP or 1"NPT mounting plug thread
- IP65 Aluminium alloy housing or DIN 43650 connection
- Use for flow detection in pipes from 1" bore to 3" bore
- Maximum operating pressure 20 bar



SPECIFICATIONS

Technical

Housing material	Aluminium Alloy	Paddle material	304grade SS		
Temperature range	See chart below	Maximum pressure	20 bar		
Set point tolerance	±25 %	Pressure drop	0.2 bar		
Repeatability	±5%	Connection in housing or by DIN 43650			

Electrical

Contact Form		SPDT		
Switching Power Max	VA	40		
Switching Voltage AC/DC Max	V	230		
Switching Current Max	А	1.0		

All ratings are for resistive load only.

STANDARD PARTS

Standard Parts	Mounting thread	Operating Temperature	Connection		
LFS-01	1"NPT	-30 to +75°C	Terminate in housing		
LFS-01H	1"NPT	-30 to +150°C	Terminate in housing		
LFS-02	3/4"BSP	-30 to +75°C	Terminate in housing		
LFS-02H	3/4"BSP	-30 to +150°C	Terminate in housing		
LFS-03	1"NPT	-30 to +75°C	DIN 43650		
LFS-03H	1"NPT	-30 to +120°C	DIN 43650		
LFS-04	3/4"BSP	-30 to +75°C	DIN 43650		
LFS-04H	3/4"BSP	-30 to +120°C	DIN 43650		

Page 1



Pipe Dia	1	"	1.2	25"	1.5	50"	2	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	2.	5"	3	"
Switch	Ор	Rel	Ор	Rel	Ор	Rel	Ор	Rel	Ор	Rel	Ор	Rel
Paddle length												
1"	19	15	32	25	46	34	64	57				
1.25"			25	17	34	27	57	46	87	76		
1.50"					53	38	87	61	121	95		
2"							68	46	91	64	125	102
2.5"									76	49	102	121
3"											83	61

NB: Flow rates in litres per minute


Wiring Detail (LFS 03/04):-

Pin 1 = Common

Pin 2 = Make on flow (N/0)

Pin 3 = Break on flow (N/C)

DIMENSIONS



Made in the UK

Page 2

Datasheets provided by Sensata Technologies, Inc., its subsidiaries and/or affiliates ("Sensata") are solely intended to assist third parties ("Buyers") who are developing systems that incorporate Sensata products (also referred to herein as "components"). Buyer understands and agrees that Buyer remains responsible for using its independent analysis, valuation, and judgment in designing Buyer's systems and products. Sensata datasheets have been created using standard laboratory conditions and engineering practices. Sensata has not conducted any testing other than that specifically described in the published documentation for a particular datasheet. Sensata may make corrections, enhancements, improvements, and other changes to its datasheets or components without notice. Buyers are authorized to use Sensata datasheets with the Sensata component(s) identified in each particular datasheet. HOWEVER, NO OTHER LICENSE, EXPRESS OR IMPLIED, BY ESTOPPEL OR OTHERWISE TO ANY OTHER SENSATA INTELLECTUAL PROPERTY RIGHT, IS GRANTED HEREIN. SENSATA DATASHEETS ARE PROVIDED "AS IS". SENSATA MAKES NO WARRANTIES OR REPRESENTATIONS WITH REGARD TO THE DATASHEETS OR USE OF THE DATASHEETS, EXPRESS, IMPLIED, OR STATUTORY, INCLUDING ACCURACY OR COMPLETENESS. SENSATA DISCLAIMS ANY WARRANTY OF TITLE AND ANY IMPLIED WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, QUIET ENJOYMENT, QUIET POSSESSION, AND NON-INFRINGEMENT OF ANY THIRD PARTY INTELLECTUAL PROPERTY RIGHTS WITH REGARD TO SENSATA DATASHEETS OR USE THEREOF.

All products are sold subject to Sensata's terms and conditions of sale supplied at www.sensata.com. SENSATA ASSUMES NO LIABILITY FOR APPLICATIONS ASSISTANCE OR THE DESIGN OF BUYERS' PRODUCTS. BUYER ACKNOWLEDGES AND AGREES THAT IT IS SOLELY RESPONSIBLE FOR COMPLIANCE WITH ALL LEGAL, REGULATORY, AND SAFETY-RELATED REQUIREMENTS CONCERNING ITS PRODUCTS, AND ANY USE OF SENSATA COMPONENTS IN ITS APPLICATIONS, NOTWITHSTANDING ANY APPLICATIONS-RELATED INFORMATION OR SUPPORT THAT MAY BE PROVIDED BY SENSATA.

Mailing Address: Sensata Technologies, Inc., 529 Pleasant Street, Attleboro, MA 02703, USA

CONTACT US

Sensata Technologies Jan Tinbergenstraat 80 7559 SP Hengelo

The Netherlands
1-508-236-3800

+44 (0)1202 897969 cynergy3.enquiries@sensata.com