TE Internal #: 1-487545-9

Housing, Wire-to-Board, 22 Position, 1.27 mm [.05 in] Centerline, 1

Row, Socket, Carton, Normal, Straight, Black, FFC Connectors

View on TE.com >



Connectors > PCB Connectors > Wire-to-Board Connectors > FFC, FPC & Ribbon Connectors > FFC Connectors > FFC Receptacle Housing: 1.27mm











FFC Connector Product Type: Housing

Connector System: Wire-to-Board

Number of Positions: 22

Centerline (Pitch): 1.27 mm [.05 in]

Number of Rows: 1

All FFC Receptacle Housing: 1.27mm (52)

Features

Product Type Features

Connector & Contact Terminates To	Wire & Cable
Connector & Housing Type	Receptacle
FFC Connector Product Type	Housing
Connector System	Wire-to-Board
Insertion Force Type	Normal
Configuration Features	
Number of Positions	22
Number of Rows	1

Electrical Characteristics

Operating Voltage	100 VAC
Insulation Resistance	5000 ΜΩ
Dielectric Withstanding Voltage (Max)	300 VAC

Body Features



Primary Product Color	Black	
Contact Features		
Contact Type	Socket	
Mechanical Attachment		
Mating Alignment Type	Polarization	
Mating Retention Type	Latch	
Mating Retention	With	
Mating Alignment	With	
Panel Mount Feature	Without	
Connector Mounting Type	Cable Mount (Free-Hanging)	
Housing Features		
Housing Material	Polyester	
Centerline (Pitch)	1.27 mm[.05 in]	
FFC Cable Entry	Straight	
Usage Conditions		
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]	
Operation/Application		
Circuit Application	Signal	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	400	
Packaging Method	Carton	

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247)



				0 // 10
1)oes	not a	contain	REACH	SVHC

Halogen Content	Not Low Halogen - contains Br or Cl > 900
	ppm.

Solder Process Capability

Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts















Customers Also Bought
























Documents

Product Drawings

022 HOUSING FFC RCPT 050CL SR

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-487545-9_AH.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-487545-9_AH.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-487545-9_AH.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPMODU_INTERCONNECTION_SYSTEM_SECTION3AND4

English

Product Specifications

Application Specification

English