



Connectors > Connector Accessories > Connector Seals & Cavity Plugs



Connector Seal & Plug Type: **Cable Seal**  
Operating Temperature Range: **-40 – 85 °C [-40 – 185 °F]**  
Primary Product Color: **Black**  
Operating Temperature (Max): **85 °C [185 °F]**

Features

Product Type Features

|                            |            |
|----------------------------|------------|
| Connector Seal & Plug Type | Cable Seal |
|----------------------------|------------|

Body Features

|                       |       |
|-----------------------|-------|
| Primary Product Color | Black |
|-----------------------|-------|

Dimensions

|                                 |                              |
|---------------------------------|------------------------------|
| Compatible Cable Diameter Range | 13 – 16.7 mm[.512 – .657 in] |
|---------------------------------|------------------------------|

Usage Conditions

|                             |                           |
|-----------------------------|---------------------------|
| Operating Temperature Range | -40 – 85 °C[-40 – 185 °F] |
| Operating Temperature (Max) | 85 °C[185 °F]             |

Packaging Features

|                    |             |
|--------------------|-------------|
| Packaging Method   | Loose Piece |
| Packaging Quantity | 100         |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

|                              |           |
|------------------------------|-----------|
| EU RoHS Directive 2011/65/EU | Compliant |
|------------------------------|-----------|



|                                               |                                                                                                                               |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|
| EU ELV Directive 2000/53/EC                   | Compliant                                                                                                                     |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold                                                                                       |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025 (247)<br>Candidate List Declared Against: JAN 2025 (247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free                                           |
| Solder Process Capability                     | Not applicable for solder process capability                                                                                  |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

### Compatible Parts



TE Part # 2120340-1  
PLASTIC HOOD / KIT



TE Part # 2120330-1  
METAL HOOD / KIT

### Also in the Series | MotorMan




Circular Connector Contact Inserts(2)



Connector Caps & Covers(2)




Connector Hardware(4)



Connector Strain Relief(2)



Rectangular Connector Hoods & Bases  
(4)



Rectangular Contact Inserts(5)

Customers Also Bought



TE Part #2120451-1  
HOOD KIT MOTORMAN HC 180  
PLAST



TE Part #7-1452656-2  
MCON 1.2 LL REC SRC AU



TE Part #BSA078N00590100000  
923 PLUG, SPEEDTEC



TE Part #926476-6  
MOD 4 HSG



TE Part #2120330-1  
METAL HOOD / KIT




TE Part #60-0199-080-P00  
BANDOLEER CONTACT SOCKET  
1MM,7000PCS ROL



TE Part #60-0023-011-P00  
CONTACT SOCKET 2 MM



TE Part #60-0046-021-P00  
BANDOLEER CONTACT SOCKET 2  
MM



TE Part #2120336-2  
PROTECTION COVER



TE Part #60-0200-080-P00  
BANDOLEER CONTACT SOCKET 1  
MM

Documents

SINGLE WIRE SEAL

English

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_2120337-1\_E\_c-2120337-1-e.2d\_dxf.zip

English





Customer View Model

[ENG\\_CVM\\_CVM\\_2120337-1\\_E\\_c-2120337-1-e.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2120337-1\\_E\\_c-2120337-1-e.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specification

English