



# AK4377

## High Sound Quality Advanced DAC with HP

### 1. General Description

The AK4377 is stereo advanced 32-bit high sound quality audio DAC with a built-in ground-referenced headphone amplifier that adopted VELVET SOUND™ technology. The AK4377 has four types of 32-bit digital filters for better sound quality, achieving low distortion characteristics and wide dynamic range. AK4377 accepts up to 768 kHz PCM data and DSD256 input. The AK4377 is available in a 36-pin CSP package, utilizing less board space than competitive offerings.

### 2. Features

1. **Stereo High Sound Quality Advanced 32-bit DAC**
  - 4-types of Digital Filter for Sound Color Selection
  - 2-types of Operation Mode (High Performance Mode / Low Power Mode)
2. **Ground-referenced Class-G Stereo Headphone Amplifier**
  - Output Power: 60 mW @ 16Ω
  - THD+N: -109 dB @ Po = 10 mW, RL = 32Ω  
-106 dB @ Po = 25 mW, RL = 32Ω
  - S/N: 128 dB
  - Output Noise Level: -129 dBV
  - Analog Volume: +4 to -20 dB & Mute
  - Ground Loop Noise Cancellation
3. **Headphone Amplifier Output Pins Comply with IEC61000-4-2 Level4 ESD Protection**
4. **Digital Audio Interface**
  - Master/Slave Mode
  - Sampling Frequency:
    - Slave Mode: 8 k, 11.025 k, 12 k, 16 k, 22.05 k, 24 k, 32 k, 44.1 k, 48 k, 64 k, 88.2 k, 96 k, 128 k, 176.4 k, 192 k, 256 k, 352.8 k, 384 k, 512 k, 705.6 k, 768 kHz
    - Master Mode: 8 k, 11.025 k, 12 k, 16 k, 22.05 k, 24 k, 32 k, 44.1 k, 48 k, 64 k, 88.2 k, 96 k, 128 k, 176.4 k, 192 k, 256 k, 352.8 k, 384 kHz
  - Interface Format: 32/24/16-bit I<sup>2</sup>S/MSB justified
  - DSD Support by DoP: DSD64, DSD128, DSD256
5. **Power Management**
6. **PLL**
7. **X'tal Oscillator**
8. **μP Interface: I<sup>2</sup>C-bus (400 kHz)**
9. **Operation Temperature Range: Ta = -40 to 85°C**
10. **Power Supply:**
  - AVDD (DAC, PLL): 1.7 to 1.9 V
  - CVDD (Headphone Amplifiers, Charge Pump): 1.7 to 1.9 V
  - LVDD (LDO2 for Digital Core): 1.7 to 1.9 V (built-in LDO)
  - TVDD (Digital Interface): 1.65 to 3.6 V
11. **Package: 36-pin CSP (2.893 x 3.082 mm, 0.4 mm pitch)**

3. Block Diagram and Functions





Figure 1. AK4377 Block Diagram

**4. Package**

■ **Outline Dimensions**


**36-pin CSP (Unit: mm)**



■ **Material and Lead Finish**

Package molding compound: Epoxy Resin, Halogen free  
 Solder ball material: SnAgCu

■ **Marking**



XXXX: Date code (4 digits)  
Pin #A1 indication

### 5. Ordering Guide

AK4377ECB    -40 to 85 °C    36-pin CSP (0.4 mm pitch)  
AKD4377        Evaluation board for AK4377

### 6. Revision History

Date (Y/M/D)	Revision	Reason	Page	Contents
18/02/27	00	First Edition		

Thank you for your access to AKM products information.  
More detail product information is available, please contact our sales  
office or authorized distributors.

IMPORTANT NOTICE

0. Asahi Kasei Microdevices Corporation ("AKM") reserves the right to make changes to the information contained in this document without notice. When you consider any use or application of AKM product stipulated in this document ("Product"), please make inquiries the sales office of AKM or authorized distributors as to current status of the Products.
1. All information included in this document are provided only to illustrate the operation and application examples of AKM Products. AKM neither makes warranties or representations with respect to the accuracy or completeness of the information contained in this document nor grants any license to any intellectual property rights or any other rights of AKM or any third party with respect to the information in this document. You are fully responsible for use of such information contained in this document in your product design or applications. AKM ASSUMES NO LIABILITY FOR ANY LOSSES INCURRED BY YOU OR THIRD PARTIES ARISING FROM THE USE OF SUCH INFORMATION IN YOUR PRODUCT DESIGN OR APPLICATIONS.
2. The Product is neither intended nor warranted for use in equipment or systems that require extraordinarily high levels of quality and/or reliability and/or a malfunction or failure of which may cause loss of human life, bodily injury, serious property damage or serious public impact, including but not limited to, equipment used in nuclear facilities, equipment used in the aerospace industry, medical equipment, equipment used for automobiles, trains, ships and other transportation, traffic signaling equipment, equipment used to control combustions or explosions, safety devices, elevators and escalators, devices related to electric power, and equipment used in finance-related fields. Do not use Product for the above use unless specifically agreed by AKM in writing.
3. Though AKM works continually to improve the Product's quality and reliability, you are responsible for complying with safety standards and for providing adequate designs and safeguards for your hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of the Product could cause loss of human life, bodily injury or damage to property, including data loss or corruption.
4. Do not use or otherwise make available the Product or related technology or any information contained in this document for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). When exporting the Products or related technology or any information contained in this document, you should comply with the applicable export control laws and regulations and follow the procedures required by such laws and regulations. The Products and related technology may not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable domestic or foreign laws or regulations.
5. Please contact AKM sales representative for details as to environmental matters such as the RoHS compatibility of the Product. Please use the Product in compliance with all applicable laws and regulations that regulate the inclusion or use of controlled substances, including without limitation, the EU RoHS Directive. AKM assumes no liability for damages or losses occurring as a result of noncompliance with applicable laws and regulations.
6. Resale of the Product with provisions different from the statement and/or technical features set forth in this document shall immediately void any warranty granted by AKM for the Product and shall not create or extend in any manner whatsoever, any liability of AKM.
7. This document may not be reproduced or duplicated, in any form, in whole or in part, without prior written consent of AKM.