# 1544317-1 ✓ ACTIVE

## AMP | NG Power Terminals and Connectors, NG1

TE Internal #: 1544317-1

2 Position Housing, Housing for Female Terminals, Wire-to-Wire, 12 mm [.472 in] Centerline, Sealable, Black, Wire & Cable, Power,

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings



Number of Positions: 2

Connector & Housing Type: Housing for Female Terminals

Mating Tab Width: 8 mm [.314 in]
Connector System: Wire-to-Wire
Centerline (Pitch): 12 mm [.472 in]

## **Features**

## **Product Type Features**

| Mixed & Hybrid Connector          | No                           |
|-----------------------------------|------------------------------|
| Connector Shape                   | Rectangular                  |
| Connector & Housing Type          | Housing for Female Terminals |
| Connector System                  | Wire-to-Wire                 |
| Sealable                          | Yes                          |
| Primary Locking Feature           | Integrated in Housing        |
| Connector & Contact Terminates To | Wire & Cable                 |

## **Configuration Features**

| Number of Positions | 2 |
|---------------------|---|
| Number of Rows      | 1 |

### **Electrical Characteristics**

| Operating Voltage            | 13 VDC |
|------------------------------|--------|
| Nominal Voltage Architecture | 13 V   |

## **Body Features**

| Cable Exit Angle        | 180°    |
|-------------------------|---------|
| Primary Product Color   | Black   |
| Connector & Keying Code | Neutral |

## **Contact Features**



| Contact Size                         | 8mm                        |
|--------------------------------------|----------------------------|
| Contact Type                         | Receptacle                 |
| Mating Tab Width                     | 8 mm[.314 in]              |
| Mechanical Attachment                |                            |
| Strain Relief                        | Without                    |
| Terminal Position Assurance          | Yes                        |
| Mating Alignment Type                | Keyed                      |
| Mating Alignment                     | With                       |
| Connector Mounting Type              | Cable Mount (Free-Hanging) |
| Housing Features                     |                            |
| Housing Material                     | PBT                        |
| Centerline (Pitch)                   | 12 mm[.472 in]             |
| Dimensions                           |                            |
| Product Width                        | 29.8 mm[1.173 in]          |
| Product Length                       | 34.6 mm[1.362 in]          |
| Connector Height                     | 29.8 mm[1.173 in]          |
| Usage Conditions                     |                            |
| Operating Temperature (Max)          | 125 °C[257 °F]             |
| Operating Temperature Range          | -40 - 125 °C[-40 - 257 °F] |
| Operation/Application                |                            |
| Circuit Application                  | Power                      |
| Industry Standards                   |                            |
| IP Rating                            | IP67                       |
| UL Flammability Rating               | UL 94HB                    |
| Packaging Features                   |                            |
| Packaging Quantity                   | 750                        |
| Packaging Method                     | Box                        |
| Other                                |                            |
| Serviceable                          | Yes                        |
| Connector Position Assurance Capable | No                         |

# **Product Compliance**



#### For compliance documentation, visit the product page on TE.com>

| EU RoHS Directive 2011/65/EU                  | Compliant   |
|---|---|
| EU ELV Directive 2000/53/EC                   | Compliant   |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold   |
| EU REACH Regulation (EC) No. 1907/2006        | Current ECHA Candidate List: JAN 2025<br>(247)<br>Candidate List Declared Against: JAN 2025<br>(247)<br>Does not contain REACH SVHC |
| Halogen Content                               | Low Halogen - Br, Cl, F, I < 900 ppm per<br>homogenous material. Also BFR/CFR/PVC<br>Free   |
| Solder Process Capability                     | Not applicable for solder process capability  |

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**















## Also in the Series NG1



Automotive Connector Caps & Covers (3)




Automotive Housings(45)



Automotive Terminals(24)





## Also in the Series | NG Power Terminals and Connectors



Automotive Connector Caps & Covers
(3)



Automotive Housings(45)




Automotive Terminals(24)







Insertion & Extraction Tools(13)



Customers Also Bought





TE Part #2005575-1 060/110/250 LIF 38P PLUG ASSY WHI



TE Part #528878-000 2018E0309-0



TE Part #1544970-4 SEAL, NG9K



TE Part #1544333-1 LANGUETTE 8MM NG1



TE Part #1544606-1
TAB HOUSING, 8MM NG1, 1 WAY



TE Part #CZ8201-000 SCL-1/2-0-2.25IN



TE Part #174200-1 250 FASTON HSG.,REC.,3 POS, NATRUAL





TE Part #9-2396702-1 MATE AX TO FAKRA CABLE ASSEMBLY



## **Documents**

**Product Drawings** 

PC 2V 8MM WP NG1 N

English

PC 2V 8MM WP NG1 N

English

PC 2V 8MM WP NG1 N

English

**CAD Files** 

3D PDF

English

**Customer View Model** 

ENG\_CVM\_1544317-1\_F.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_1544317-1\_F.3d\_stp.zip

English

**Customer View Model** 

2 Position Housing, Housing for Female Terminals, Wire-to-Wire, 12 mm [.472 in] Centerline, Sealable, Black, Wire & Cable, Power, Hybrid



## ENG\_CVM\_1544317-1\_F.2d\_dxf.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

**Product Specifications** 

**Product Specification** 

English

**Product Specification** 

French

**Instruction Sheets** 

Instruction Sheet (non U.S.)

English

Instruction Sheet (non U.S.)

French