

UNIFOX-CT 4,8P - Cable tie tool

1212609

<https://www.phoenixcontact.com/us/products/1212609>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable binder pliers, for plastic cable binders with a width of 2.2 - 4.8 mm, for a material thickness of up to 1.6 mm

Your advantages

- Ergonomic tool for tightening and cutting cable ties in a single step
- Cable tie is automatically cut when the tension force is reached
- Infinitely adjustable tension force indicated via a scale in the handle area

Commercial data

| | |
|--------------------------------------|---------------------|
| Item number | 1212609 |
| Packing unit | 1 pc |
| Minimum order quantity | 1 pc |
| Sales key | BH31 |
| Product key | BH3164 |
| Catalog page | Page 396 (C-3-2019) |
| GTIN | 4046356639453 |
| Weight per piece (including packing) | 425.1 g |
| Weight per piece (excluding packing) | 425.1 g |
| Customs tariff number | 82032000 |
| Country of origin | TW |

UNIFOX-CT 4,8P - Cable tie tool



1212609

<https://www.phoenixcontact.com/us/products/1212609>

Technical data

Notes

| | |
|----------------------------------|---|
| General | Setting: 1 = 3 kg; 2 = 6 kg; 3 = 11 kg; 4 = 15 kg |
| Environmental Product Compliance | |
| California Proposition 65 | Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration |

Product properties

| | |
|------------------|---|
| Product type | Universal tools |
| Application | Plastic cable tie |
| Product property | Tightening and burr-free cutting of cable ties in a single step |
| | Tension force can be infinitely adjusted easily |
| | Ergonomic two-component handle |

Dimensions

| | |
|--------|--------|
| Width | 120 mm |
| Height | 18 mm |
| Length | 165 mm |

Material specifications

| | |
|----------|-------|
| Material | Metal |
|----------|-------|

UNIFOX-CT 4,8P - Cable tie tool

1212609

<https://www.phoenixcontact.com/us/products/1212609>



Approvals

🔗 To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/1212609>



EAC

Approval ID: RU x-DE.xx08.B.02974

UNIFOX-CT 4,8P - Cable tie tool



1212609

<https://www.phoenixcontact.com/us/products/1212609>

Classifications

ECLASS

| | |
|-------------|----------|
| ECLASS-13.0 | 21043830 |
|-------------|----------|

ETIM

| | |
|----------|----------|
| ETIM 9.0 | EC000453 |
|----------|----------|

UNSPSC

| | |
|-------------|----------|
| UNSPSC 21.0 | 27112400 |
|-------------|----------|

UNIFOX-CT 4,8P - Cable tie tool



1212609

<https://www.phoenixcontact.com/us/products/1212609>

Environmental product compliance

EU RoHS

| | |
|---|---|
| Fulfills EU RoHS substance requirements | Not applicable, No electrical and electronic equipment (EEE), cannot be used in EEE |
|---|---|

EU REACH SVHC

| | |
|-------------------------------------|----------------------------|
| REACH candidate substance (CAS No.) | No substance above 0.1 wt% |
|-------------------------------------|----------------------------|

Phoenix Contact 2025 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com